



The Full Spectrum Protocol - Trial 2 Results

Summary of Findings: Full Spectrum Protocol Trial 2 (June-Aug [2 Full Months] 2025, Namibia)

This early-phase, observational trial marks the second in a series of studies evaluating the Full Spectrum Protocol - a combination of three Beyond Medicine remedies: Presence, Victory Over Thought, and Cloud 9. Conducted with children on the Autism Spectrum in both home and classroom environments, the trial aimed to explore the protocol's impact on emotional regulation, communication, executive functioning, and overall neurodevelopmental support. Anecdotal observations were collected from parents and educators directly from the Neuro-Nexus ASD Academy in Namibia, providing initial insights into trends and potential benefits. No adverse effects were reported during this stage of the trial.

			AVERAGE
1	On a scale of 0–100%, how would you rate the change in your child's communication skills after the 2 month trial?		52%
2	On a scale of 0–100%, how much improvement have you observed in your child's ability to express their needs and feelings after the 2 month trial?		60%
3	On a scale of 0–100%, how much improvement have you observed in your child's social interaction with family and friends after the 2-month trial?		50%
4	On a scale of 0–100%, how much improvement have you observed in your child's social interactions within school or peer environments after the 2-month trial, compared to before?		46%
5	On a scale of 0–100%, how would you rate the change in your child's emotional regulation after the 2-month trial?		55%
6	On a scale of 0–100%, how would you rate the change in your child's daily living skills and independence after the 2-month trial?		55%

7	On a scale of 0–100%, how much improvement have you observed in your child’s independence in performing daily tasks after the 2-month trial?	<table border="1"><caption>Data for Chart 7</caption><thead><tr><th>Scale</th><th>Percentage</th></tr></thead><tbody><tr><td>1</td><td>70%</td></tr><tr><td>2</td><td>100%</td></tr><tr><td>3</td><td>20%</td></tr><tr><td>4</td><td>30%</td></tr><tr><td>5</td><td>70%</td></tr><tr><td>6</td><td>10%</td></tr><tr><td>7</td><td>60%</td></tr><tr><td>8</td><td>40%</td></tr><tr><td>9</td><td>80%</td></tr><tr><td>10</td><td>10%</td></tr><tr><td>11</td><td>70%</td></tr><tr><td>12</td><td>100%</td></tr><tr><td>13</td><td>30%</td></tr><tr><td>14</td><td>40%</td></tr><tr><td>15</td><td>50%</td></tr><tr><td>16</td><td>80%</td></tr></tbody></table>	Scale	Percentage	1	70%	2	100%	3	20%	4	30%	5	70%	6	10%	7	60%	8	40%	9	80%	10	10%	11	70%	12	100%	13	30%	14	40%	15	50%	16	80%	54%		
Scale	Percentage																																						
1	70%																																						
2	100%																																						
3	20%																																						
4	30%																																						
5	70%																																						
6	10%																																						
7	60%																																						
8	40%																																						
9	80%																																						
10	10%																																						
11	70%																																						
12	100%																																						
13	30%																																						
14	40%																																						
15	50%																																						
16	80%																																						
8	On a scale of 0–100%, how would you rate the change in your child’s sensory and physical behaviours after the 2-month trial?	<table border="1"><caption>Data for Chart 8</caption><thead><tr><th>Scale</th><th>Percentage</th></tr></thead><tbody><tr><td>1</td><td>70%</td></tr><tr><td>2</td><td>100%</td></tr><tr><td>3</td><td>60%</td></tr><tr><td>4</td><td>10%</td></tr><tr><td>5</td><td>90%</td></tr><tr><td>6</td><td>20%</td></tr><tr><td>7</td><td>50%</td></tr><tr><td>8</td><td>60%</td></tr><tr><td>9</td><td>80%</td></tr><tr><td>10</td><td>0%</td></tr><tr><td>11</td><td>0%</td></tr><tr><td>12</td><td>0%</td></tr><tr><td>13</td><td>50%</td></tr><tr><td>14</td><td>50%</td></tr><tr><td>15</td><td>20%</td></tr><tr><td>16</td><td>70%</td></tr></tbody></table>	Scale	Percentage	1	70%	2	100%	3	60%	4	10%	5	90%	6	20%	7	50%	8	60%	9	80%	10	0%	11	0%	12	0%	13	50%	14	50%	15	20%	16	70%	52%		
Scale	Percentage																																						
1	70%																																						
2	100%																																						
3	60%																																						
4	10%																																						
5	90%																																						
6	20%																																						
7	50%																																						
8	60%																																						
9	80%																																						
10	0%																																						
11	0%																																						
12	0%																																						
13	50%																																						
14	50%																																						
15	20%																																						
16	70%																																						
9	On a scale of 0–100%, how much improvement have you observed in your child’s participation and engagement with parents and family after the 2-month trial?	<table border="1"><caption>Data for Chart 9</caption><thead><tr><th>Scale</th><th>Percentage</th></tr></thead><tbody><tr><td>1</td><td>90%</td></tr><tr><td>2</td><td>90%</td></tr><tr><td>3</td><td>80%</td></tr><tr><td>4</td><td>10%</td></tr><tr><td>5</td><td>70%</td></tr><tr><td>6</td><td>20%</td></tr><tr><td>7</td><td>50%</td></tr><tr><td>8</td><td>50%</td></tr><tr><td>9</td><td>90%</td></tr><tr><td>10</td><td>0%</td></tr><tr><td>11</td><td>50%</td></tr><tr><td>12</td><td>50%</td></tr><tr><td>13</td><td>30%</td></tr><tr><td>14</td><td>50%</td></tr><tr><td>15</td><td>60%</td></tr><tr><td>16</td><td>60%</td></tr></tbody></table>	Scale	Percentage	1	90%	2	90%	3	80%	4	10%	5	70%	6	20%	7	50%	8	50%	9	90%	10	0%	11	50%	12	50%	13	30%	14	50%	15	60%	16	60%	53%		
Scale	Percentage																																						
1	90%																																						
2	90%																																						
3	80%																																						
4	10%																																						
5	70%																																						
6	20%																																						
7	50%																																						
8	50%																																						
9	90%																																						
10	0%																																						
11	50%																																						
12	50%																																						
13	30%																																						
14	50%																																						
15	60%																																						
16	60%																																						
10	On a scale of 0–100%, how much improvement have you observed in your child’s interaction with daily family life after the 2-month trial?	<table border="1"><caption>Data for Chart 10</caption><thead><tr><th>Scale</th><th>Percentage</th></tr></thead><tbody><tr><td>1</td><td>80%</td></tr><tr><td>2</td><td>80%</td></tr><tr><td>3</td><td>70%</td></tr><tr><td>4</td><td>10%</td></tr><tr><td>5</td><td>90%</td></tr><tr><td>6</td><td>30%</td></tr><tr><td>7</td><td>50%</td></tr><tr><td>8</td><td>50%</td></tr><tr><td>9</td><td>100%</td></tr><tr><td>10</td><td>0%</td></tr><tr><td>11</td><td>60%</td></tr><tr><td>12</td><td>50%</td></tr><tr><td>13</td><td>40%</td></tr><tr><td>14</td><td>50%</td></tr><tr><td>15</td><td>60%</td></tr><tr><td>16</td><td>60%</td></tr></tbody></table>	Scale	Percentage	1	80%	2	80%	3	70%	4	10%	5	90%	6	30%	7	50%	8	50%	9	100%	10	0%	11	60%	12	50%	13	40%	14	50%	15	60%	16	60%	55%		
Scale	Percentage																																						
1	80%																																						
2	80%																																						
3	70%																																						
4	10%																																						
5	90%																																						
6	30%																																						
7	50%																																						
8	50%																																						
9	100%																																						
10	0%																																						
11	60%																																						
12	50%																																						
13	40%																																						
14	50%																																						
15	60%																																						
16	60%																																						
11	On a scale of 0–100%, how much improvement have you observed in your child’s ability to respond to changes in routine or environment after the 2-month trial?	<table border="1"><caption>Data for Chart 11</caption><thead><tr><th>Scale</th><th>Percentage</th></tr></thead><tbody><tr><td>1</td><td>90%</td></tr><tr><td>2</td><td>100%</td></tr><tr><td>3</td><td>80%</td></tr><tr><td>4</td><td>20%</td></tr><tr><td>5</td><td>50%</td></tr><tr><td>6</td><td>20%</td></tr><tr><td>7</td><td>50%</td></tr><tr><td>8</td><td>40%</td></tr><tr><td>9</td><td>50%</td></tr><tr><td>10</td><td>30%</td></tr><tr><td>11</td><td>70%</td></tr><tr><td>12</td><td>50%</td></tr><tr><td>13</td><td>30%</td></tr><tr><td>14</td><td>50%</td></tr><tr><td>15</td><td>30%</td></tr><tr><td>16</td><td>70%</td></tr></tbody></table>	Scale	Percentage	1	90%	2	100%	3	80%	4	20%	5	50%	6	20%	7	50%	8	40%	9	50%	10	30%	11	70%	12	50%	13	30%	14	50%	15	30%	16	70%	52%		
Scale	Percentage																																						
1	90%																																						
2	100%																																						
3	80%																																						
4	20%																																						
5	50%																																						
6	20%																																						
7	50%																																						
8	40%																																						
9	50%																																						
10	30%																																						
11	70%																																						
12	50%																																						
13	30%																																						
14	50%																																						
15	30%																																						
16	70%																																						
				Slightly less Frequently	Noticably less frequently	Rarely occurs now																																	
12	How frequently does your child experience meltdowns or emotional outbursts after the 2-month trial, compared to before?	<table border="1"><caption>Data for Chart 12</caption><thead><tr><th>Frequency</th><th>Percentage</th></tr></thead><tbody><tr><td>Slightly less Frequently</td><td>48%</td></tr><tr><td>Noticably less frequently</td><td>32%</td></tr><tr><td>Rarely occurs now</td><td>19%</td></tr></tbody></table>	Frequency	Percentage	Slightly less Frequently	48%	Noticably less frequently	32%	Rarely occurs now	19%	48%	32%	19%																										
Frequency	Percentage																																						
Slightly less Frequently	48%																																						
Noticably less frequently	32%																																						
Rarely occurs now	19%																																						
			Yes	No	Unsure																																		

13	Based on your experience, how likely are you to continue using this protocol for your child?		88%	6%	6%
			Yes	No	Unsure
14	Based on your experience, how likely are you to recommend this protocol to friends and family?		80%	0%	20%